



Reliance Sibur
Elastomers Private Limited
A partnership of excellence

Dated: 21st November '2024

To,

The Regional Officer,
Ministry of Environment, Forest & Climate Change,
Integrated Regional Office,
A Wing – 407 & 409, Aranya Bhawan,
Near CH - 3 Circle, Sector - 10A,
Gandhinagar, Gujarat – 382 010

Sub: Six Monthly EC Compliance Reports of M/s. Reliance Sibur Elastomer Pvt. Ltd., Jamnagar, for the period ending 30th September '2024.

Dear Sir,

Please find herewith the Six-monthly EC compliance reports of M/s. Reliance Sibur Elastomer Pvt. Ltd., Jamnagar for the period 01st April '2024 to 30th September '2024.

The compliance and monitoring reports are being submitted as per the requirements of EIA Notification 2006 and its amendment thereof.

Thanking you,

Yours truly,

For M/s. Reliance Sibur Elastomer Pvt. Ltd.

Authorized Signatory

CC : The Regional Officer, Gujarat Pollution Control Board. Sardar Patel Bhawan, Rameshwar Nagar, JAMNAGAR.

Half Yearly Compliance Report**2024****01 Dec(01 Apr - 30 Sep)****Acknowledgement**

Proposal Name	Manufacturing of Butyl Rubber and Halo Butyl Rubber plant at District Jamnagar (Gujarat) by M/s Reliance Sibur Elastomers Private Limited - Environment Clearance - reg		
Name of Entity / Corporate Office	RELIANCE SIBUR ELASTOMERS PVT LTD		
Village(s)	N/A		
District	JAMNAGAR		
Proposal No.	IA/GJ/IND2/110022/2019	Category	Industrial Projects - 2
Plot / Survey / Khasra No.	N/A	Sub-District	N/A
State	GUJARAT	Entity's PAN	*****6922C
MoEF File No.	J-11011/149/2007 - IA II (I)	Entity name as per PAN	RELIANCE SIBUR ELASTOMERS PRIVATE LIMITED

Compliance Reporting Details

Reporting Year	2024
Remarks (if any)	
Reporting Period	01 Dec(01 Apr - 30 Sep)

Details of Production and Project Area

Name of Entity / Corporate Office RELIANCE SIBUR ELASTOMERS PVT LTD

	Project Area as per EC Granted	Actual Project Area in Possession
Private	0	0
Revenue Land	0	0
Forest	0	0
Others	46.27	46.27
Total	46.27	46.27

Production Capacity

Sr. no	Product Name	units	Valid Upto	Capacity	Production last year	Capacity as per CTO
1	Butyl Rubber	Others:KTA	N/A	120	120	
2	Halo-Butyl Rubber	Others:KTA	N/A	60	60	

Conditions

Specific Conditions

Sr.No.	Condition Type	Condition Details
1	MISCELLANEOUS	This has reference to your online proposal No. IA/GJ/IND2/110022/2019 Dt. 19th July 2019 for amendment/ bifurcation of the environmental clearance (EC) dated 30th March 2010 between M/s Reliance Industries ltd. & M/s Reliance Sibur Elastomers Pvt Ltd (RSEPL).
PPs Submission: Complied -----		Date: 23/11/2024
2	Human Health Environment	Occupational health surveillance programme shall be undertaken as regular exercise for all the employees. The first aid facilities in the occupational health center shall be strengthened and the medical records of each employees shall be maintained separately.
PPs Submission: Complied Annual Periodical Medical Examination for all employees are carried out and their records are maintained. During the last six months year ending 30th Sept 2024, 100 percent scheduled employees PME were covered.		Date: 23/11/2024
3	WATER QUALITY MONITORING AND PRESERVATION	IIR plant effluent to be treated in ETP of C2 complex of RIL and HIIR effluent will be treated in designated ETP in HIIR plant so as to meet treated effluent standards notified by the Ministry. The treated effluent from HIIR ETP will be sent for tertiary treatment in C2 complex. The treated effluent will be reused in cooling tower make up, horticulture etc. to the maximum extent. Fresh Water for usage will be supplied by RIL from its desalination plant.
PPs Submission: Complied Complied with. The effluent from IIR complex is being treated in the ETP of RIL C2 complex. For analysis report pl. refer ANNEXURE 1		Date: 23/11/2024
4	MISCELLANEOUS	Provision shall be made for the housing for the construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile sewage treatment plant, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structure to be removed after the completion of the project. All the construction wastes shall be managed so that there is no impact on the surrounding environment.
PPs Submission: Complied Project is being supported by RIL with necessary infrastructure.		Date: 23/11/2024
5	WATER QUALITY MONITORING AND PRESERVATION	The company shall comply with effluent and emission standards for Petrochemical Plants of CPCB/MoEF.
PPs Submission: Complied The treated effluent quality is well within the prescribed standards.		Date: 23/11/2024
6	AIR QUALITY MONITORING AND PRESERVATION	Ambient air quality data for one season other than monsoon within 10km radius of the complex particularly one station shall be established where maximum GLC is anticipated with respect to SO ₂ ,

		NO _x , PM ₁₀ , Ozone, CO, Benzene and Benzo (a) pyrene and data submitted to MoEF/CPCB/SPCB.
PPs Submission: Complied Stipulated number of AAQM stations have been setup. Please refer Annexure 2 for AAQMs results.		Date: 23/11/2024
7	AIR QUALITY MONITORING AND PRESERVATION	The gaseous emissions (SO ₂ , PM ₁₀ , NO _x , CO and NMHC) from the various process units shall conform to the standards prescribed under Environment (Protection) Rules, 1986 or norms stipulated by the SPCB, whichever is more stringent. At no time, the emission level shall go beyond the stipulated standards. In the event of failure of pollution control system(s) adopted by the unit, the respective units should not be restarted until the control measures are rectified to achieve the desired efficiency.
PPs Submission: Complied Gaseous emissions in the complex are designed to be within the stricter standards prescribed by the authorities. In case of any likelihood of exceedance corrective actions are laid down to avoid it. Presently there are no emissions from the IIR unit.		Date: 23/11/2024
8	AIR QUALITY MONITORING AND PRESERVATION	The gaseous emissions from the DG sets shall be dispersed through stack of adequate height as per CPCB/State Pollution Control Board standards. Acoustic enclosures shall be provided to mitigate the noise.
PPs Submission: Complied Suitable stack height as per the prescribed standards and acoustic enclosures are provided for all the DG sets. DG sets are used only for emergency purpose as power supply is from RIL CPP.		Date: 23/11/2024
9	AIR QUALITY MONITORING AND PRESERVATION	The company shall use low sulphur fuel to minimize SO ₂ emission. Stacks which are contributing to more SO ₂ emissions shall be identified and SO ₂ emissions shall be reduced by changing the fuel or by increasing the height of major stacks to bring GLC within the prescribed limits.
PPs Submission: Complied The best available technology is incorporated and established in the Front-End Engineering Design (FEED) for the units for reduction and minimization of GLC. All stack heights are in accordance to standards and there is no exceedance on the GLCs monitored.		Date: 23/11/2024
10	AIR QUALITY MONITORING AND PRESERVATION	To control the fugitive emissions, the unit shall have provision for internal floating roof tanks with flexible double seal for MS and intermediate products; mechanical seals in pumps; regular inspection of floating roof seals and proper maintenance of floating roof seals for storage tanks; preventive maintenance of valves and other equipment; regular skimming of oil from separators/equalization basin in ETP. The units shall assess and minimize the fugitive VOC emission wherever possible.
PPs Submission: Complied The best available technology is incorporated and established in the FEED for reduction and minimization of VOC emissions. The mitigation measures for minimizing the fugitive VOC emission during the operational phase is assessed and wherever actions required to control emissions, measures are taken.		Date: 23/11/2024
11	AIR QUALITY MONITORING AND PRESERVATION	Fugitive emissions of HC from product storage tank yards etc must be regularly monitored. Sensors for detecting HC leakage shall also be provided at strategic locations.

PPs Submission: Complied Being Complied with.		Date: 23/11/2024
12	AIR QUALITY MONITORING AND PRESERVATION	The company shall ensure that no halogenated organic is sent to the flares. If any of the halogenated organic are present then the respective streams may be incinerated, if there are no technically feasible or economically viable reduction/recovery options. Any stream containing organic carbon, other than halogenated shall be connected to proper flaring system, if not to a recovery device or an incinerator.
PPs Submission: Complied Included in the design that the safety and emergency discharges of HC are routed to the flare system and the HC is recovered to the extent possible, however, the safety and emergency discharges are routed to the flare. No halogenated organics are routed to the flare.		Date: 23/11/2024
13	Statutory compliance	Necessary authorization required under the Hazardous & other wastes (Management & Trans-boundary Movement) Rules, 2016, Solid Waste Management Rules, 2016 shall be obtained and the provisions contained in the Rules shall be strictly adhered to. Details of regarding type of catalyst to be used and plan for disposal of spent catalyst shall be submitted. The company shall incinerate the oil cotton rags only. The design of the incinerator and secured landfill facility shall be as per the CPCB guidelines.
PPs Submission: Complied GPCB has granted CTO for the complex which consist of Authorization i.e Consolidated Consent and Authorization (CCA)		Date: 23/11/2024
14	MISCELLANEOUS	M/s RJIL shall undertake measures for fire fighting facilities in case of emergency.
PPs Submission: Complied Firefighting facilities are established.		Date: 23/11/2024
15	MISCELLANEOUS	All pressure vessels shall be of SIL -3 level product at par with the existing refineries.
PPs Submission: Complied Included in design.		Date: 23/11/2024
16	MISCELLANEOUS	Any relief system for major hazardous releases shall have at least double or triple backup system against the possibility of human error.
PPs Submission: Complied Included in design.		Date: 23/11/2024
17	MISCELLANEOUS	The company shall submit reports of last 2-3 years regarding external safety audit.
PPs Submission: Complied Complied with.		Date: 23/11/2024
18	WATER QUALITY MONITORING AND PRESERVATION	M/s RSEPL shall undertake rainwater harvesting measures, to recharge the ground water and also to minimize the water drawl from the weir.

PPs Submission: Complied Storm water pond is already established within the complex.		Date: 23/11/2024
19	GREENBELT	Green belt in 33% of the plant area shall be provided to mitigate the effects of fugitive emissions all around the plant as per CPCB guidelines in consultation with local DFO.
PPs Submission: Complied Being Complied with.		Date: 23/11/2024
General Conditions		
Sr.No.	Condition Type	Condition Details
1	Statutory compliance	The project proponent shall obtain all other statutory/necessary permissions/ recommendations/ NOCs prior to start construction/operation of the project, which inter alia include, permission/approvals under the Forest (Conservation) Act, 1980; the Wildlife (Protection) Act, 1972; the Coastal Regulation Zone Notification, 2019, as amended from time to time, and other office memoranda/circular issued by the Ministry of Environment, Forest and Climate Change from time to time, as applicable to the project.
PPs Submission: Complied Noted.		Date: 23/11/2024
2	Statutory compliance	The project proponent shall ensure compliance of 'National Emission Standards' as applicable to the project, issued by the Ministry from time to time. The project proponent shall also abide by the rules/regulations issued by CPCB/SPCB for control/abatement of pollution.
PPs Submission: Complied Being Complied with.		Date: 23/11/2024
3	MISCELLANEOUS	The project authorities shall adhere to the situations made by SPCB/committee, CPCB, State Government and any statutory authority.
PPs Submission: Complied Noted.		Date: 23/11/2024
4	MISCELLANEOUS	The PP shall prepare a site-specific Conservation Plan & Wildlife Management Plan in case of presence of schedule-I species in the study area, as applicable to the project, and submit to Chief Wildlife Warden for approved. The recommendations shall be implemented in consultation with the State Forest/Wildlife Department in a time bound manner.
PPs Submission: Complied Not Applicable.		Date: 23/11/2024
5	MISCELLANEOUS	No further expansion or modernization in the plant should be carried out without prior approval of the Ministry of Environment, Forests and Climate Change. In case of deviations or alterations in the

		project proposal from those submitted to this Ministry for Clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
PPs Submission: Complied Noted.		Date: 23/11/2024
6	ENERGY PRESERVATION MEASURES	The energy sources for lighting purposes shall preferably be LED based, or advance having preference in energy conservation and environment betterment.
PPs Submission: Complied Almost all the peripheral street lighting, plant area lighting and office buildings have been converted to LED based/ energy conservation lighting.		Date: 23/11/2024
7	AIR QUALITY MONITORING AND PRESERVATION	The location of ambient air quality monitoring stations shall be decided in consultation with SPCB and it shall be ensured that at least one station each is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.
PPs Submission: Complied Please Refer Annexure 2.		Date: 23/11/2024
8	AIR QUALITY MONITORING AND PRESERVATION	The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be complied with.
PPs Submission: Complied Being complied with.		Date: 23/11/2024
9	Noise Monitoring & Prevention	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise level shall conform to the standards prescribed under Environmental (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) 70 dBA (night time).
PPs Submission: Complied Appropriate Engineering control measures are provided to identified sources of noise generation including acoustic hoods, silencers, enclosures etc. The overall noise levels in and around the plant area are kept well within the standards Regular monitoring of the ambient noise levels is conducted, and it conforms to the standards prescribed. The monitoring data are submitted to the authorities. Please refer Annexure 3.		Date: 23/11/2024
10	WATER QUALITY MONITORING AND PRESERVATION	The company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge ground water, and to utilize the same for process requirements.
PPs Submission: Complied Rainwater Harvesting in Jamnagar complex is developed through a network of storm water ponds and is reused. The storm water run-off from the IIR complex is collected in these ponds.		Date: 23/11/2024
11	Human Health Environment	Training shall be imparted to all employees on safety and health aspects of chemical handling. Pre-employment and routine periodic medical examination for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.

<p>PPs Submission: Complied</p> <p>A dedicated Learning Center with state of Art infrastructure is established and well-structured training modules are developed which includes HSEF procedures. As per the training procedure every New Joiner must undergo mandatory training modules which includes safe handling; safe operations, safety management systems etc for hazardous chemicals. Occupational Health Department carries out regular medical checkups of all employees and records are maintained.</p>		<p>Date: 23/11/2024</p>
12	Risk Mitigation and Disaster Management	The company shall also comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in EIA/EMP in respect of environment management, risk mitigation measures and public hearing shall be implemented.
<p>PPs Submission: Complied</p> <p>Noted and complied with.</p>		<p>Date: 23/11/2024</p>
13	Corporate Environmental Responsibility	The company shall undertake all relevant measures for improving socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villagers, administration and shall be implemented.
<p>PPs Submission: Complied</p> <p>Being complied with as a common program for Jamnagar site.</p>		<p>Date: 23/11/2024</p>
14	MISCELLANEOUS	The company shall undertake eco-developmental measures including community welfare measures in the project area for overall improvement of the environment.
<p>PPs Submission: Complied</p> <p>Being complied with.</p>		<p>Date: 23/11/2024</p>
15	MISCELLANEOUS	A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/ specialization in the project area) equipped with full-fledged laboratory facility shall be set up to carry out the Environmental Management and Monitoring functions.
<p>PPs Submission: Complied</p> <p>Already the cell is established. Refer Departmental Organogram Annexure 4.</p>		<p>Date: 23/11/2024</p>
16	MISCELLANEOUS	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by MoEF&CC well as state government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for Environmental Management/ pollution control measures shall not be diverted to any other purpose.
<p>PPs Submission: Complied</p> <p>During the last Six Months ending 30th Sept 2024, the total recurring environmental management/ pollution control measures expense was approximately Rs. 65,03,098/-.</p>		<p>Date: 23/11/2024</p>
17	Noise Monitoring & Prevention	A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zilla Parisad/ Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.

PPs Submission: Complied Complied with.		Date: 23/11/2024
18	Statutory compliance	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copy as well as by e-mail) to the respective Regional office of MoEF&CC, the respective zonal office of CPCB and the State Pollution Control Board. A copy of EC & six monthly compliance status report shall be posted on the website of the company.
PPs Submission: Complied Complied with.		Date: 23/11/2024
19	Statutory compliance	The Environmental statement for each financial years ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.
PPs Submission: Complied Noted and will be complied with.		Date: 23/11/2024
20	Statutory compliance	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at website of Ministry and at http://parivesh.nic.in/ . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to concerned the Regional Office of the Ministry.
PPs Submission: Complied Pl. refer Annexure 5 for Advertisement copy		Date: 23/11/2024
21	MISCELLANEOUS	The project proponents shall inform the Regional Office as well as the Ministry, the date of financial closure & final approval of the project by the concerned authorities and the date of start of the project.
PPs Submission: Complied Will be complied with.		Date: 23/11/2024
22	MISCELLANEOUS	This Environmental Clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.
PPs Submission: Complied Noted.		Date: 23/11/2024
23	MISCELLANEOUS	The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The

		Ministry may revoke or suspend the environment clearance, if implementation of any of the above conditions is not found satisfactory.
PPs Submission: Complied Noted.		Date: 23/11/2024
24	Statutory compliance	Concealing factual data or submission of false/ fabricated data may result in revocation of this EC and attract action under the provisions of Environment (Protection) Act, 1986.
PPs Submission: Complied Noted.		Date: 23/11/2024
25	MISCELLANEOUS	Any appeal against this environmental clearance shall lie with the National Appellate Authority, if preferred, within a period of 30 days as prescribed under section 11 of the National Environment Appellate Authority Act, 1997.
PPs Submission: Complied ---		Date: 23/11/2024
26	Statutory compliance	The above conditions will be enforced, interalia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air, (Prevention & Control of Water Pollution) Act, 1981, the Environment (Protection) Act, 1986 Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act,1991 read with subsequent amendments therein.
PPs Submission: Complied ---		Date: 23/11/2024
27	MISCELLANEOUS	This issues with the approval of the competent authority.
PPs Submission: Complied ---		Date: 23/11/2024
Visit Remarks		
Last Site Visit Report Date:		N/A
Additional Remarks:		All Annexures are attached as additional attachment.
<p>Note: This acknowledgement is as per the details submitted by project proponent. In no way is this document to be considered as conclusion on any action on the compliance of the project. This is strictly for the project proponent's reference purpose.</p>		

Reliance Sibur Elastomer Private Ltd. (RSEPL), Jamnagar

List of Six-Monthly Monitoring Reports attached as Annexures

Annexure No.	Description
1	Treated Wastewater Quality Results
2	Ambient Air Quality Monitoring Report
3	Plant Peripheral Noise Monitoring Report
4	Organogram of Environment dept.
5	Copy of Advertisement in Local News Papers

Reliance Sibur Elastomer Pvt. Ltd. Jamnagar. (RSEPL Complex).

Treated Water Quality – RIL C2-COMPLEX ETP
(01st Apr '2024 to 30th September '2024)

Sr.No.	PARAMETERS	Unit	Min Value	Max Value	Average Value
1	pH	--	7.5	7.6	7.55
2	Total Suspended Solids	mg/l	10	14	11.50
3	Biochemical Oxygen Demand	mg/l	5.0	6.0	5.50
4	Chemical Oxygen Demand	mg/l	39.0	46.0	41.17
5	Phenols (as C ₆ H ₅ OH)	mg/l	0.1	1.9	0.41
6	Sulphide (as S)	mg/l	N.D.	N.D.	N.D.
7	Cyanide (as CN)	mg/l	N.D.	N.D.	N.D.
8	Chromium (hexavalent)	mg/l	N.D.	N.D.	N.D.
9	Chromium (Total)	mg/l	N.D.	N.D.	N.D.
10	Fluoride (as F)	mg/l	0.2	0.6	0.42

Remarks : 1) Minimum Detectable Limit : Sulphides=0.1mg/l, Cyanide=0.01mg/l, Metals (Cr, F) =0.01mg/l

2) N.D. : Not Detectable

**Reliance Sibur Elastomer Pvt. Ltd. Jamnagar. (RSEPL Complex).
 AMBIENT AIR QUALITY MONITORING RESULTS
 (01st Apr '2024 to 30th Sept '2024)**

LOCATION	MINIMUM VALUE	MAXIMUM VALUE	AVERAGE VALUE
POLLUTANT – PM2.5 (µg/m3)			
IIR Old Gate	17	32	26
IIR Material Gate Office	16	31	26
Nr ETP (C2 Complex)	18	33	26
FWP (C2 Complex)	18	32	26
POLLUTANT – PM10 (µg/m3)			
IIR Old Gate	34	53	47
IIR Material Gate Office	32	53	47
Nr ETP (C2 Complex)	33	54	46
FWP (C2 Complex)	34	53	47
POLLUTANT - SO2 (µg/m3)			
IIR Old Gate	11	22	16
IIR Material Gate Office	11	22	17
Nr ETP (C2 Complex)	11	24	17
FWP (C2 Complex)	10	20	15
POLLUTANT – NO2 (µg/m3)			
IIR Old Gate	20	30	25
IIR Material Gate Office	14	30	23
Nr ETP (C2 Complex)	20	31	26
FWP (C2 Complex)	15	29	25
POLLUTANT - NH3 (µg/m3)			
IIR Old Gate	10	17	13
IIR Material Gate Office	10	17	13
Nr ETP (C2 Complex)	10	17	13
FWP (C2 Complex)	10	17	13
POLLUTANT - CO (mg/m3)			
IIR Old Gate	1.09	1.55	1
IIR Material Gate Office	1.01	1.58	1
Nr ETP (C2 Complex)	1.05	1.67	1
FWP (C2 Complex)	1.04	1.53	1
POLLUTANT – Benzene (µg/m3)			
IIR Old Gate	BDL	BDL	BDL
IIR Material Gate Office	BDL	BDL	BDL
Nr ETP (C2 Complex)	BDL	BDL	BDL
FWP (C2 Complex)	BDL	BDL	BDL

Note : 1. Grab sampling for CO ; 2. BDL : Below Detectable level


Reliance Sibur Elastomer Pvt. Ltd. Jamnagar. (RSEPL Complex).

NOISE QUALITY MONITORING RESULTS
(01st Apr '2024 to 30th Sept '2024)

Sr. No.	Area /Location	Noise Level (dBA) Day-time	
		Minimum Value	Minimum Value
1	Laboratory & Admin Bldg	50	57
2	MMC Storage Yard	44	56
3	Material Gate	57	66
4	Storm Water Pond 20	54	67
5	Cooling Tower	51	59
6	Flare Area	56	65

Reliance Sibur Elastomer Pvt Ltd. Jamnagar

Organogram of Environment Department



Reliance Sibur Elastomer Pvt Ltd. Jamnagar
Copy of Advertisement in Local News Papers


Press Clippings

Publication : The Indian Express

Edition : Rajkot

Date : 10-06-2020

Page : 05



Reliance Sibur
Elastomers Private Limited
A partnership of excellence

Tal. Lalpur, Dist Jamnagar 361142

PUBLIC NOTICE

It is hereby informed that the Ministry of Environment, Forests and Climate Change, Government of India, New Delhi vide Letter No. J-11011/149/2007-IA-II (I) dated 03.06.2020 has accorded Environmental Clearance to M/s Reliance Sibur Elastomers Private Limited for manufacturing of Butyl Rubber and Halo butyl Rubber at Jamnagar, Gujarat.

Copies of the clearance letter are available at the offices of State Pollution Control Board and may also be seen on the website of the Ministry of Environment, Forests and Climate Change at <http://envfor.nic.in>

Press Clippings

Publication : Sandesh

Edition : Rajkot

Date : 10-06-2020

Page : 03



Reliance Sibur
Elastomers Private Limited
A partnership of excellence

તા. લાલપુર, જામનગર 361142

જાહેર વિજ્ઞાપ્તિ

આથી જણાવવામાં આવે છે કે પર્યાવરણ, વન અને જળવાયુ પરિવર્તન મંત્રાલય, ભારત સરકાર, નવી દિલ્હી ના પત્ર ક્રમાંક : જ-11011/149/2007-IA-II (I) તા. 03.06.2020 થી મે. રિલાયન્સ સિબુર ઇલાસ્ટોમર્સ પ્રાઇવેટ લિમિટેડને ગુજરાતના જામનગરમાં બ્યુટાઇલ રબર અને હાલો બ્યુટાઇલ રબરના ઉત્પાદન માટે પર્યાવરણીય મંજૂરી આપવામાં આવી છે.

મંજૂરીના પત્રની નકલો રાજ્ય પ્રદૂષણ નિયંત્રણ બોર્ડની કચેરીઓ પર ઉપલબ્ધ છે અને પર્યાવરણ, વન અને હવામાન પરિવર્તન મંત્રાલયની વેબસાઇટ : <http://envfor.nic.in> પર પણ જોઈ શકાશે.